

LamaPLC: ENS ScioSense Multi-gas sensors with I²C communication

The **ScioSense ENS160** is a digital multi-gas sensor tailored for indoor air quality (IAQ) monitoring, delivering fully processed outputs such as eCO₂, TVOC, and AQI. It employs advanced Metal Oxide (MOX) technology combined with on-chip algorithms to ensure high stability and accuracy.



The sensor's on-chip processing provides data including equivalent CO₂ (eCO₂), Total VOC (TVOC), and an Air Quality Index (AQI).

Key Features

- **Intelligent On-Chip Algorithms:** The sensor handles complex data processing internally, reducing the burden on the host microcontroller (MCU). It performs:
 - Automatic Baseline Correction (ABC) for long-term stability.
 - Temperature and Humidity Compensation (requires an external T/H sensor input like the AHT21).
 - Calculation of processed outputs (eCO₂, TVOC, AQI).
- **Multiple IAQ Outputs:**
 - **AQI (Air Quality Index):** A simple 1 (excellent) to 5 (unhealthy) index.
 - **TVOC (Total Volatile Organic Compounds):** Concentration ranging from 0 ppb to 65,000 ppb.
 - **eCO₂ (Equivalent CO₂):** Calculated concentration ranging from 400 ppm to 65,000 ppm.
- **Connectivity:** Supports both I²C and SPI digital interfaces for flexible integration with microcontrollers.
- **Fast Operation:** Offers a warm-up time of less than 3 minutes, much faster than conventional sensors.
- **Low Power Consumption:** Multiple operating modes, including a deep-sleep mode, allow for use in battery-powered IoT applications.


Specifications Summary

Specification	Value
Supply Voltage	VDD: 1.71V - 1.98V; VDDIO: 1.71V - 3.6V
Interface	I ² C (0x53/0x52 selectable address) or SPI
Operating Temperature	-40°C to +85°C
Operating Humidity	5% to 95% RH (non-condensing)
Dimensions	Compact 3.0mm x 3.0mm x 0.9mm LGA package
Warm-up Time	<3 minutes for valid data; 24h+ for optimal accuracy

Moduls

ENS-160 modul

The ENS160 is a digital multi-gas sensor from ScioSense that uses metal-oxide (MOX) technology to detect air quality. Most modules (like those from Adafruit, SparkFun, or DFRobot) also include an AHT21 temperature and humidity sensor to provide compensation data for the ENS160, as air quality readings are sensitive to environmental conditions.



If you'd like to support the development of the site with the price of a coffee — or a few — [please do so here](#).

Here's a handy tip: you can quickly save this page as a PDF by clicking "export to PDF" in the menu on the right side of the screen.

2026/02/14 23:38

Arduino & ENS-160 modul

Wiring (I²C Mode)

The sensor typically operates on 3.3V or 5V (depending on the breakout board's voltage regulator).

- **VIN:** 3.3V or 5V (Match your Arduino's logic level)
- **GND:** Ground
- **SDA:** Pin A4 (on Uno/Nano)
- **SCL:** Pin A5 (on Uno/Nano)
- **ADDR (optional):** Connect to GND for address 0x52 or VCC (or leave floating) for 0x53.

Arduino Example Code

You will need to install the **Adafruit ENS160** and **Adafruit AHTX0** libraries via the Arduino Library Manager.

```
#include <Wire.h>
#include <Adafruit_ENS160.h>
#include <Adafruit_AHTX0.h>

Adafruit_ENS160 ens160;
Adafruit_AHTX0 aht;

void setup() {
  Serial.begin(115200);
  Wire.begin();

  // Initialize AHT21 (Temperature/Humidity)
  if (!aht.begin()) {
    Serial.println("Could not find AHT sensor!");
  }
}
```

```
    while (1);
}

// Initialize ENS160 (Air Quality)
if (!ens160.begin()) {
    Serial.println("Could not find ENS160 sensor!");
    while (1);
}

// Set operating mode: STANDARD, DEEP_SLEEP, or IDLE
ens160.setMode(ENS160_OPMODE_STD);
}

void loop() {
    sensors_event_t humidity, temp;
    aht.getEvent(&humidity, &temp);

    // Send environmental data to ENS160 for better accuracy
    ens160.setTempHum(temp.temperature, humidity.relative_humidity);

    if (ens160.available()) {
        ens160.measure(true); // Perform measurement

        Serial.print("AQI: "); Serial.print(ens160.getAQI()); // 1 (Excellent)
        to 5 (Unhealthy)
        Serial.print(" | TVOC: "); Serial.print(ens160.getTVOC());
        Serial.print(" ppb");
        Serial.print(" | eCO2: "); Serial.print(ens160.geteCO2());
        Serial.println(" ppm");
    }

    delay(2000); // 2-second interval recommended
}
```

Key Sensor Outputs

The ENS160 provides fully processed air quality data:

- **AQI (Air Quality Index):** A simple 1-5 scale based on UBA standards.
- **TVOC (Total Volatile Organic Compounds):** Concentration from 0 to 65,000 ppb.
- **eCO2 (Equivalent CO2):** Calculated proxy for CO2 concentration from 400 to 65,000 ppm.

Important Notes

- **Warm-up Time:** The sensor needs about 3 minutes to warm up after powering on before it provides valid data.
- **Burn-in Period:** For the highest accuracy, a new sensor should be “burned-in” for at least 24 to 48 hours of continuous operation.
- **Accuracy:** MOX sensors detect a gas mixture and calculate eCO2; for critical CO2 monitoring (e.g., plant growth or safety), a dedicated NDIR CO2 sensor is preferred.

I²C topics on lamaPLC

Page	Date	Tags
• lamaPLC Communication: 1-Wire	2026/04/23 21:51	1-wire, communication, bus, microlan, i2c, uart, usart, ds18b20
• lamaPLC Communication: I²C	2025/09/23 21:25	i2c, i c, smbus, philips, bus, communication, arduino
• lamaPLC project: Senson SCD CO² measurement module	2026/04/15 19:34	scd30, scd40, scd41, iaq, ndir, sensor, i2c, arduino code
• LamaPLC: AHT10 Modul	2026/03/22 03:14	communication, i2c, temperature, humidity, sensor, aht, aht 10, modul
• LamaPLC: AHT20 / BMP280 Modul	2026/04/23 21:52	bmp280, aht20, adafruit, temperature, humidity, pressure, sensor, arduino, code, i2c
• LamaPLC: APDS - Avago ALS and proximity detection sensors with I²C communication	2026/04/23 21:52	avago, apds-9900, apds-9930, apds-9960, als, proximity, detection, gesture recognition, gesture, i2c, communication, sensor, arduino, code
• lamaPLC: Arduino Modul: BME680	2026/05/12 18:40	code, c, 2026, arduino, bme680, sensor, i2c, comunicacion
• lamaPLC: AS5600 Magnetic Induction Angle Measurement Sensor Module	2026/04/23 21:52	communication, i2c, as5600, as-5600, magnetic, induction, angle, sensor
• lamaPLC: Bi-Directional Logic Level Converter 3.3V ↔ 5V	2026/04/12 00:34	bi-directional, logic level converter, i2c, uart, spi
• LamaPLC: BMP/BME Bosch Temperature/Humidity/Pressure sensors with I²C communication	2026/04/23 21:52	bme280, bme680, bme688, bmp180, bmp280, hw-611, hw611, bosch, temperature, humidity, pressure, sensor, arduino, i2c, communication, ai, cjmcu, volatile organic compounds, vocs, volatile sulfur compounds, vscs, iaq
• LamaPLC: CJMCU-219/INA-219 breakout board/IC with I²C communication	2026/04/23 21:52	cjmcu-219, ina-219, ina219, breakout board, i2c, communication, sensor, voltage, current, arduino, code, cjmcu
• LamaPLC: CJMCU-3216 / AP-3216 integrated digital ambient light and proximity sensor module/IC with I²C communication	2026/04/23 21:52	cjmcu-3216, cjmcu, ap-3216, ap3216, ambient light, proximity, sensor, arduino, code, i2c, communication
• lamaPLC: CJMCU-811 CCS811 Gas Sensor (VOCs TVOC CO₂)	2026/04/23 21:52	cjmcu-811, ccs811, gas, sensor, vocs, tvoc, eco2, co2, arduino, air quality metal oxide, mox, i2c, micropython, rp2040-eth
• LamaPLC: D6T Omron Non-Contact Thermal Sensors with I²C communication	2026/04/23 21:52	d6t, d6t-32l, d6t-44l, d6t-8l, d6t-1a, omron, non-contact, thermal, sensor, i2c, arduino, code
• LamaPLC: DPS Infineon Temperature/Pressure sensors with I²C communication	2026/04/23 21:52	dps310, infineon, temperature, pressure, sensor, arduino, i2c, communication, code
• lamaPLC: Energy, power, current, and voltage	2025/05/31 23:32	i2c, i c, communication, arduino, energy, power, current, sensor, ina226

• LamaPLC: ENS ScioSense Multi-gas sensors with I²C communication	2026/04/23 21:52	ens160 , sciosense , gas-quality , i2c , communication , sensor , arduino , code , eco2 , tvoc , aqi , indoor air quality , iaq , co2 , voc
• lamaPLC: ESP32 / ESP8266	2025/11/22 00:07	esp8266 , esp32 , esp32-c2 , esp32-c3 , esp32-c5 , esp32-c6 , esp32-c61 , esp32-h2 , esp32-s2 , esp32-s3 , esp32-p4 , espressif systems , communication , ethernet , ip , wi-fi , thread , zigbee , matter , homekit , bluetooth , mqtt , adc , spi , uart , i2c , i2s , rmt , pwm , usb , usb otg , twai
• LamaPLC: Gas sensors	2023/07/01 17:29	gas , sensor , i2c , onewire , communication , mq-3 , mq-4 , mq-5 , mq-6 , mq-7 , mq-8 , mq-9 , mq-135 , gm-102b , gm-302b , gm-502b , gm-702b , alcohol , ch4 , natural gas , smoke , lng , co , co2 , lpg , h2 , iso-butane , nox , nh3 , benzene , town gas , formaldehyde , propane , humidity , temperature , voc , grv gas sens v2
• lamaPLC: GY-511 6DOF sensor module	2026/03/22 01:44	stmicroelectronics , lsm303dlhc , i2c , lsm303 , sensor , gy-511 , 6dof , pololu , module , arduino
• LamaPLC: GY-9250 MPU-9250/6500 9-axis Attitude Sensor Board	2026/04/23 21:52	ak8963 , gy-9250 , mpu-9250 , 9-axis , motion detection , magnetometer , communication , i c , i2c , spi
• LamaPLC: HDC Texas Instruments Temperature/humidity sensors with I²C communication	2026/04/23 21:52	sht21 , htu21 , si7021 , gy-21 , gy-213v , hdc1080 , gy-213v-hdc1080 , cjmcu , cjmcu-1080 , texas instruments , temperature , humidity , sensor , i2c , communication , arduino , code
• lamaPLC: HT16K33 display controller	2026/04/23 21:51	i2c , 7-segment display , display , ht16k33 , arduino
• LamaPLC: HTU TE Connectivity temperature/humidity sensors with I²C communication	2026/04/23 21:52	htu , htu31d , htu21d , htu20d , sht20 , htu20 , sht21 , htu21 , si7021 , gy-21 , gy-213v , hdc1080 , si702 , gy-20 , sht31 , htu31 , si7031 , gy-31 , te connectivity , temperature , humidity , i2c , communication , sensor , arduino , code
• lamaPLC: INA modules with Arduino libraries	2026/04/11 19:54	i2c , i c , communication , arduino , energy , power , current , monitor , sensor , ina219 , gy-219 , ina226 , gy-216 , ina228 , gy-228 , ina237 , ina238 , ina260 , ina3221 , ina
• lamaPLC: INA226 - current/voltage/power monitor with I²C communication	2026/04/23 21:52	i2c , i c , communication , arduino , energy , power , current , monitor , sensor , ina226 , ina219 , ina
• lamaPLC: LCD 1602/2004 with I²C communication	2026/02/14 18:27	communication , i2c , display , lcd , 1602 , 2004 , hd44780 , pcf8574 , pcf8574t , pcf8574at , arduino

• LamaPLC: MAX30100/MAX30102 Heart Rate Click Sensor Module	2026/04/23 21:52	max30102 , max30100 , heart rate click , sensor , communication , i2c , arduino , code
• lamaPLC: MCP23017 / MCP23S17 16-Bit I/O Expander with Serial Interface I²C / SPI	2026/04/23 21:52	communication , i2c , mcp23017 , mcp23s17 , spi , i o expander , serial , cjmcu-2317 , cjmcu
• lamaPLC: MLX90614 (GY-906) infrared non-contact thermometer	2026/05/08 00:03	communication , i2c , temperature , mlx90614 , gy-906 , modul , infrared , non-contact thermometer , dsp , pwm , smbus , hailege
• lamaPLC: PCF857x I/O Expander chip/modul with I²C communication	2026/05/14 15:21	communication , i2c , pcf857x , pcf8574 , pcf8574a , pcf8575 , i o expander , i o extension , nxp , texas instruments
• LamaPLC: Pixart PAJ7620U2 Gesture recognition sensors/module with I²C communication	2026/04/23 21:52	paj7620u2 , gy-paj7620 , pixart , gesture recognition , i2c , communication , sensor , arduino , code
• lamaPLC: RP2040_ETH_Modul: I²C scanner	2026/05/12 16:20	code , micropython , 2026 , rp2040 eth , i2c , comunication
• lamaPLC: RP2040_ETH_Modul: MLX90614 simple	2026/05/12 17:06	code , micropython , 2026 , rp2040 eth , i2c , communication , mlx90614
• lamaPLC: RP2040_ETH_Modul: Read BME 680/688 sensor data	2026/05/12 21:06	code , micropython , 2026 , rp2040 eth , bme680 , i2c , sensor , communication
• lamaPLC: RP2040_ETH_Modul: Read BME 680/688 sensor data and store in Modbus input registers	2026/05/12 18:58	code , micropython , 2026 , rp2040 eth , bme680 , i2c , sensor , communication
• LamaPLC: SC16IS750 / SC16IS752: One or two serial (UART) ports from microcontroller via I²C or SPI communication	2026/04/23 21:52	cjmcu-750 , cjmcu-752 , cjmcu , nxp , sc16is750 , sc16is752 , uart , serial , i2c , spi , modul , converter , arduino , code
• LamaPLC: SGP Sensirion TVOC/VOC sensors with I²C communication	2026/04/15 19:41	sgp30 , sgp40 , sgp41 , sensirion , gas-sensor , i2c , communication , sensor , arduino , code , eco2 , voc , tvoc , indoor air quality , iaq , nox , hydrogen
• LamaPLC: SHT Sensirion Temperature/humidity sensor with I²C communication	2026/04/23 21:52	sht20 , sht21 , sht25 , sht30 , sht31 , sht35 , sht40 , gy21 , temperature , humidity , i2c , communication , sensor , arduino , code
• lamaPLC: Signal level converters	2026/02/14 23:47	pca9306 , i2c , voltage , level , converter
• lamaPLC: TCA9548A (HW617); Low-Voltage 8-Channel I²C Switch Module	2026/02/14 23:51	tca9548a , hw617 , i2c , switch , communication , expansion board , arduino
• lamaPLC: TM1637 7-segment display	2026/02/14 18:26	i2c , 7-segment display , display , tm1637 , arduino
• LamaPLC: TOFnnnC STMicroelectronics Time-of-Flight (ToF) sensors with I²C communication	2026/04/23 21:52	tof050c , vl6180 , tof200c , vl53l0x , tof400c , vl53l1x , stmicroelectronics , time-of-flight , tof , i2c , communication , sensor , arduino , code
• LamaPLC: VL53Lnn STMicroelectronics time-of-flight (ToF) laser-ranging sensors with I²C communication	2026/04/23 21:52	vl53l0x , vl53l1x , vl53l0 1xv2 , gy-530 , time-of-flight , tof , laser-ranging , i2c , communication , sensor , arduino , code

- [LamaPLC: VL6180X STMicroelectronics Time-of-Flight \(ToF\) sensor with I²C communication](#) 2026/04/23 21:52 [vl6180x, stmicroelectronics, time-of-flight, tof, i2c, communication, sensor, arduino, code](#)
[communication, i2c, sensor, modul, pressure, cfsensor, xgzp68xx, xgzp6810d, xgzp6857d, xgzp6859d, xgzp6887d, xgzp6897d, xgzp6899a, piezoresistive, capacitive](#)
- [LamaPLC: XGZP68xx: Silicon Pressure Sensors/Module](#) 2026/05/15 15:17 [magnetic angle sensor, magnetic flux, sensor, spi, i2c, pwm, communication, modul, as5047p, as5600, mt6701, mt6816, mt6835, tle5012b, amr, gmr, tmr, anisotropic magnetoresistive](#)
- [Magnetic angle sensors](#) 2026/03/05 21:19 [i2c, oled, display, ssd1306, sh1106, ssh1106, arduino, cmos](#)
- [SSH1106/SSD1306 OLED Display with I²C communication](#) 2026/02/14 18:27

[ENS160, ScioSense, gas-quality, i2c, communication, sensor, arduino, code, eCO₂, TVOC, AQI, indoor air quality, IAQ, CO₂, VOC, TVOC](#)

This page has been accessed for: Today: 12, Until now: 190

From: <http://lamaplc.com/> - **lamaPLC**

Permanent link: <http://lamaplc.com/doku.php?id=sensor:ens>

Last update: **2026/04/21 20:47**

