

lamaPLC: TTL to RS485 Module

The module is often listed as **HW-097**.




The onboard MAX485 chip is a low-power, slew-rate-limited transceiver for **RS-485** communication. It is connected to 5.08 mm pitch 2P binding posts, which makes **RS-485** wiring convenient. All the chip's pins are exposed and can be controlled and operated by the microcontroller. It operates on a single 5V power supply with a rated current of 300 μ A.

RS-485 is a type of asynchronous serial communication protocol because no synchronizing clock signal is transmitted with the data. RS-485 uses differential signaling to transfer binary data between devices. This differential signaling creates a differential voltage using positive and negative 5V supplies. The advantage of this method is its ability to reject common-mode noise.

RS-485 supports a **maximum data transfer rate of 30 Mbps** and can connect many slaves to a single master. The protocol allows up to 32 devices to be connected.

The module is suitable for Arduino and **Modbus RTU** applications. In this setup, the Arduino should use Tx/Rx TTL communication, while the standard Modbus A+, B-, and GND connections should be made on the other side of the module.

MAX485 switching logic




If you'd like to support the development of the site with the price of a coffee — or a few — [please do so here](#).

Here's a handy tip: you can quickly save this page as a PDF by clicking "export to PDF" in the menu on the right side of the screen.

2026/02/14 22:38

MAX485 modul pinout



RO	TTL side	Receiver output
RE	TTL side	Receiver output enable
DE	TTL side	Driver output enable
DI	TTL side	Drive input
Vcc		5V DC power supply
A+	RS-485 side	The non-inverting input of the receiver and the non-inverting output of the driver
B-	RS-485 side	Receiver inverting input and driver inverting output
GND		Ground

Modbus topics on lamaPLC

Page	Date	Tags
• Eastron Modbus maps	2023/05/26 15:15	modbus , modbus rtu , eastron , modbus map , mid
• lamaLib: #temp	2024/11/18 21:46	tia , scl , lamalibsimatic , source code , energy meter , modbus , register , word
• lamaLib: energyMeterToModbusRegs	2024/11/18 21:55	tia , scl , lamalibsimatic , source code , energy meter , modbus , register , word
• lamaPLC Communication: Modbus	2025/11/19 21:42	modbus , communication , bus , modicon , standard , rtu , tcp , multimaster , coil , register
• lamaPLC: DM56A04 / DM36B06 digital tube display with Modbus Communication	2026/02/14 17:25	dm56a04 , dm36b06 , eletechsup , 7-segment , display , modbus , rtu , modbus rtu , arduino
• LamaPLC: Eastron SDM 230 Communication	2025/03/07 09:20	modbus , modbus rtu , eastron , modbus map , mid
• LamaPLC: Eastron SDM 230 with Modbus Communication	2026/02/14 23:34	modbus , modbus rtu , eastron , modbus map , mid , sdm 230 , sdm , arduino , code
• LamaPLC: Eastron SDM 630 Communication	2024/08/18 14:48	modbus , modbus rtu , eastron , modbus map , mid
• LamaPLC: Eastron SDM 630 Energy Meter with Modbus communication	2026/02/14 23:22	modbus , modbus rtu , eastron , modbus map , mid , sdm , sdm 630 , arduino , code

• lamaPLC: PTA8C04 4-channel PT100 Modbus Modul	2026/02/14 17:42	pta8c04 , sensor , modbus , rtu , rs-485 , communication , platine , um72
• LamaPLC: S7-1500 and Metrawatt EM2389 Modbus TCP communication	2024/11/18 17:55	simatic , s7 , modbus , communication , metrawatt , em2389 , source code , scl , mid
• LamaPLC: S7-1500 and Sicam Q200 Modbus TCP communication	2023/06/24 22:42	simatic , s7 , modbus , tia portal , communication , sicam , q200 , sicam q200 , source code , scl , class a
• lamaPLC: S7-1500 and UICPAL Temp.humi.sensor Modbus TCP communication	2023/06/19 21:24	bus , communication , s7 , simatic , s7 1500 , s7 1200 , scl , uicpal , temperature , humidity , modbus , example , download , tia portal
• lamaPLC: TM1650 7-Segment Display with I²C like or Modbus Communication	2026/02/14 17:26	tm1650 , stc8g , tp8485e , hyuduo5x1b64edtk1244 , 7-segment , display , modbus , rtu , modbus rtu , arduino
• lamaPLC: TTL to RS485 Module	2026/02/14 22:49	modbus , rtu , modbus rtu , hw-097 , rs-485 , max485
• LamaPLC: UICPAL Temp.humi.sensor	2023/06/24 22:43	simatic , s7 , modbus , communication , temperature , humidity , sensor
• LamaPLC: XTM35SC Modbus communication	2024/08/18 14:52	xtm35sc , modbus , modbus rtu , measuring , power , communication , current meter , voltmeter
• lamaPLC: YR-3180 - Weight sensor module with UART or Modbus communication	2026/02/14 23:00	communication , modbus , rtu , sensor , weight , yr-3180 , hx710b , arduino , ttl , rs-485
• Modbus for Grundfos pumps	2023/06/01 11:49	modbus , modbus tcp , modbus rtu , grundfos
• NT18B07: 7 Kanal RS485 Temperatur Sensor with Modbus RTU	2026/02/14 17:49	nt18b07 , sensor , modbus , rtu , rs-485 , communication , platine
• Simatic Modbus S7 error- and statuscodes	2025/11/13 22:59	communication , bus , modbus , error , modbus error code , 7000 , 7001 , 7002 , 7003 , 7004 , 7005 , 7006 , 80a1 , simatic , s7 , siemens , tia
• Waveshare	2023/06/17 19:43	waveshare , converter , modbus , modbus rtu , modbus tcp , communication
• XTM35SC current / voltage meter	2023/06/01 11:45	xtm35sc , modbus , modbus rtu , measuring , power , communication , current meter , voltmeter

[modbus](#), [rtu](#), [modbus rtu](#), [HW-097](#), [RS-485](#), [MAX485](#)

This page has been accessed for: Today: 3, Until now: 106

From:
<http://lamaplc.com/> - **lamaPLC**

Permanent link:
http://lamaplc.com/doku.php?id=sensor:tll_to_rs485

Last update: **2026/02/14 22:49**



