

lamaPLC Abbreviation Index

0..9

1-Wire

7-segment display (Arduino)

74HC164 - 7-segment control IC

A

A0221AU / A02YYUW Waterproof Ultrasonic Distance Sensor with UART communication

ABP (LoRa Activation by Personalization)

ABS (Acrylonitrile Butadiene Styrene)

Allegro ACS758 Hall-effect linear current sensors

AD8221AR: CJMCU-8221 Analog Devices Precision instrumentation amplifier module

ADS111x: Texas Instruments ADCs: Delta-sigma Converters (ADS1110, ADS1112, ADS1113, ADS1114, ADS1115, ADS1118, ADS1119)

ADS1115: Texas Instruments ADCs: compact, low-power 16-bit ADC

ADS1118: Texas Instruments ADCs: precision, low-power 16-bit ADC

ADS12xx: Texas Instruments ADCs: Delta-sigma Converters (ADS1220, ADS1232, ADS1234, ADS1256, ADS1261, ADS1263)

ADS1220: Texas Instruments ADCs: compact 24-bit ADC

AHT20/BMP280 Modul - Temperature, Humidity, Air pressure with Arduino example code

AK-8963: Magnetometer

AM-312: PIR sensors

AM-2302: Temperature Humidity Sensor

AP-3216 / CJMCU-3216 integrated digital ambient light and proximity sensor module/IC with I²C communication

APDS-9900: Avago ALS and proximity detection sensors with I²C communication

APDS-9930: Avago ALS and proximity detection sensors with I²C communication

APDS-9960: Avago ALS and proximity detection sensors with I²C communication

Arduino

AS5600: Magnetic Induction Angle Measurement Sensor Module

ASA (Acrylonitrile Styrene Acrylate)

AS-i

B

BeiDou: China's Navigation Satellite System

BME280: Temperature Humidity Air pressure Sensor

BME680: Temperature Humidity Air pressure Sensor

BMP180: Temperature Air-pressure Sensor

BMP280: Temperature Air-pressure Sensor

AHT20 / BMP280: Temperature Air-pressure comi modul

C

CCS811 Gas Sensor (VOCs TVOC CO2)

CJMCU-164: SN74HC164D 8-bit Shift Register Module

CJMCU-219: INA-219 breakout board/IC with I²C communication

CJMCU-680: Temperature/Humidity/Barometric Pressure/Gas (VOC) Module

CJMCU-750: SC16IS750 / SC16IS752: One or two serial (UART) ports from microcontroller via I²C or SPI communication

CJMCU-752: SC16IS750 / SC16IS752: One or two serial (UART) ports from microcontroller via I²C or SPI communication

CJMCU-758: ACS758 Hall-effect linear current sensors

CJMCU-811: CCS811 Gas Sensor (VOCs TVOC CO2)

CJMCU-1080: HDC Texas Instruments Temperature/humidity sensors with I²C communication

CJMCU-2317: MCP23017 / MCP23S17 16-Bit I/O Expander with Serial Interface I²C / SPI

CJMCU-3216: AP-3216 integrated digital ambient light and proximity sensor module/IC with I²C communication

CJMCU-3901: PMW-3901 compact optical flow sensor module/IC by PixArt with SPI communication

CJMCU-6701: Biosensor for measuring Galvanic Skin Response (GSR) with SPI communication

CJMCU-8221 Analog Devices Precision instrumentation amplifier module

D

D6T-1A: Non-Contact Thermal Sensor

D6T-8L: Non-Contact Thermal Sensor

D6T-32L: Non-Contact Thermal Sensor

D6T-44L: Non-Contact Thermal Sensor

DHT11: Temperature Humidity Sensor

DHT20: Temperature Humidity Sensor

DHT22: Temperature Humidity Sensor

DM56A04 / DM36B06 digital tube display with Modbus Communication

DPS310: Barometric Pressure Sensor

DS18B20 1-Wire Digital Thermometer

E

EDA (Electrodermal Activity): CJMCU-6701 Biosensor for measuring with SPI communication

EIB

EKMB/EKMC series: PIR sensors

EM2389: Metrawatt EM2389 MID energy meters
ENS-160 ScioSense Multi-gas sensors with I²C communication
ESP: Espressif Arduino compatible board family

F

FC-03 (LM393, HC-89) Infrared Speed Sensor Module
FMCW Radar Module RD-xx
FY-T734 Geya: Multi-channel optocoupled relay module

G

G3MB-202P: Multi-channel Solid State Relay Module
Galileo: European navigation satellite system
GLONASS: Russian Global Navigation Satellite System
GM-302b: alcohol gas Sensor
GM-502b: Alcohol (C₂H₅OH) Hydrogen(H₂) Formaldehyde(CH₂O) Sensor
GM-702b: Carbon monoxide (CO) Hydrogen (H₂)
GM12864: ST756x display drivers (ST7565, ST7567, GM12864, GM12864-59N, GM12864-03A, GM12864-01A, GME12864-41)
GPS: Global Positioning System
GRV GAS SENS V2 Gas
GSR (Galvanic Skin Response): CJMCU-6701 Biosensor for measuring with SPI communication
GXF0459: Vibration sensor
GY-21: Temperature Humidity Modul
GY-50: MPU-6500; 9-axis motion detection module
GY-68 Modul: Temperature Air-pressure Modul
GY-213V-HDC1080: HDC Texas Instruments Temperature/humidity sensors with I²C communication
GY-219: INA219 digital current, voltage, and power monitor with I²C communication
GY-511: 6DOF sensor module
GY-521: MPU-6050 (HW-123, GY-521) 6-axis MotionTracking device
GY-906: MLX90614 infrared non-contact Thermometer
GY-9250: 9-axis motion detection module
GY-BME280 Modul: Temperature Air-pressure Modul
GY-BME680 Modul: Temperature Humidity Air-pressure Modul
GY-PAJ7620: Integrated Gesture Recognition Sensor

H

HC-89 (LM393, FC-03) Infrared Speed Sensor Module
HC-SR04 Ultrasonic Sensor Module
HC-SR501: PIR sensors

HC-SR505: PIR sensors
HDC 1080: Temperature Humidity Sensor
HDC1080 Modul: Temperature Humidity Modul
HFD4/3-S: Multi-channel optocoupled relay module
HL-54: Multi-channel optocoupled relay module
HT16K33 display controller with I²C communication
HTU21 TE Connectivity temperature/humidity sensors with I²C communication
HTU21D: Temperature Humidity Modul
Hyduo5x1b64edtk1244: TM1650 7-Segment Display with Modbus Communication
HW097: TTL to RS485 Module
HW108: TXS0108E 8-channel, bidirectional 5V-3.3V logic level converter
HW123: MPU-6050 (HW-123, GY-521) 6-axis MotionTracking device
HW316: Multi-channel optocoupled relay module
HW484: (LM393, KY-037, KY-038) High-Sensitivity Sound Detection Module
HW611: BMP280: Temperature Air-pressure Sensor
HW617: TCA9548A Low-Voltage 8-Channel I²C Switch Module
HX711: 24-bit analog-to-digital converter (ADC)

I

I²C
CJMCU-219/INA-219 breakout board/IC with I²C communication
INA219: digital current, voltage, and power monitor with I²C communication
INA226: current/voltage/power monitor with I²C communication
INA228: ultra-precise, high-resolution digital power, energy, and charge monitor with an I²C interface
INA237: is an ultra-precise, 16-bit digital power monitor with I²C communication
INA238: Ultra-precise digital power monitor 16-bit delta-sigma ADC with I²C communication
INA260: high-precision digital power monitor with I²C communication
INA3221: current and bus voltage monitor with 3 channels I²C communication

J

J305: Geiger-Müller Tube
J321: Geiger-Müller Tube

K

KNX
KY-019: Multi-channel optocoupled relay module
KY-024: (LM393) Hall Sensor Module
KY-026: (LM393) Flame Sensor (IR) Module
KY-037, KY-038: (LM393, HW-484) High-Sensitivity Sound Detection Module

L

Labview

LDTM-028K: Vibration sensor

LM393 (FC-03, HC-89) Infrared Speed Sensor Module

LM393 (HW-484, KY-037, KY-038) High-Sensitivity Sound Detection Module

LM393 (KY-024) Hall Sensor Module

LM393 (KY-026) Flame Sensor (IR) Module

LND-712: Geiger-Müller Tube

LoRa (long range)

LoRaWAN (long range wide area network)

LPWA (LoRa low-power, wide-area)

LSM303DLHC: GY-511 6DOF sensor module

LTC-3588 Nanopower Energy Harvesting Power Supply

M

M01 - V0.4 Laser ranging sensor with UART communication

M4011: Geiger-Müller Tube

MAX30100/MAX30102 Heart Rate Click Sensor Module

MAX31865 RTD to Digital Converter - PT100/PT1000 Platine

MAX4466/MAX9814: Low-noise Microphone Preamplifiers

MAX485: TTL to RS485 Module

MCP23017 / MCP23S17 (CJMCU-2317) 16-Bit I/O Expander with Serial Interface I²C / SPI

MH-Z19 series of NDIR CO₂ sensors (MH-Z19C, MH-Z19B, MH-Z19E)

MKR: Arduino board family

MLX90614 (GY-906) infrared non-contact Thermometer

Modbus

MPU-6050 (HW-123, GY-521) 6-axis MotionTracking device

MPU-6500: 9-axis motion detection module

MPU-9250/6500: 9-axis motion detection module

MQ-2: Gas Sensor smoke LPG (liquefied petroleum gas) propane hydrogen

MQ-3: Gas Sensor alcohol (C₂H₅OH) Small sensitivity: Benzine gas

MQ-4: Gas Sensor CH₄ gas Natural gas LNG

MQ-5: Gas Sensor LPG Iso-butane Propane

MQ-6: Gas Sensor Town gas Natural gas LPG LNG Iso-butane Propane

MQ-7: Gas Sensor CO

MQ-8: Gas Sensor H₂

MQ-9: Gas Sensor CO CH₄ gas LPG

MQ-131: Gas Sensor ozone

MQ-135: Gas Sensor NO_x NH₃ alcohol Benzene smoke CO₂

MQ-137: Gas Sensor ammonia (NH₃)

MQTT: MQ Telemetry Transport

Multi-channel optocoupled relay module

Multi-channel Solid State Relay (SSR) Module

N

NT18B07: 7 Kanal RS485 Temperatur Sensor with Modbus RTU
NwkSKey (LoRA network session key)

O

O2-A2: Oxygen Sensor
OLED (SSH1106/SSD1306) Display with I²C communication
OCX: Operational Control System
OTAA (LoRa Over-The-Air Activation)

P

PAJ7620U2: Gesture recognition sensors/module with I²C communication
PCA9306: Voltage level translator
PCF8574: 8-bit I/O expander chip/module with I²C communication
PCF8575: 16-bit I/O expander chip/module with I²C communication
PCF857x: I/O expander chip/module with I²C communication
PETG (Polyethylene terephthalate glycol)
PIR sensors
PLA (Polylactic acid)
PMW-3901 / CJMCU-3901 compact optical flow sensor module/IC by PixArt with SPI communication
POE: Power over Ethernet
PT100 / PT1000 sensor
PTA8C04 4-channel PT100 Modbus Modul with Modbus RTU

Q

Q200: multifunctional device with power quality class A
QZSS: Japan's Quasi-Zenith Satellite System

R

RA-01: AI Thiker LoRA modul, without ext. antenne
RA-02: AI Thiker LoRA modul, with ext. antenne
RadiationD: Geiger counter module and Tubes
RCWL-0516: Microwave radar sensor module

RD-xx - Ai-Thinker Radar Module with UART communication
Raspberry Pi Pico (1/2)
Renesas X9C series; X9C102, X9C103, X9C104, X9C503 Digitales Potentiometer Board Moduls
RP2040 (Raspberry Pi Pico)
RP2350 (Raspberry Pi Pico 2)
RP2040-Eth (RP2040-Eth)
RP2040-Zero (RP2040-Zero)
RS-232
RS-422
RS-485
RSTP: Rapid Spanning Tree Protocol
RTD (Resistance Temperature Detectors) - PT100 / PT1000 sensor

S

SBM-20: Geiger-Müller Tube
SC16IS750 / SC16IS752: One or two serial (UART) ports from microcontroller via I²C or SPI communication
SCD40-D-R2: CO₂ / Air-quality / Temperature / Humidity Sensor
SEN0311: A0221AU / A02YYUW Waterproof Ultrasonic Distance Sensor with UART communication
Sension SCD CO₂ measurement module with I²C communication
SCD30: CO₂ measurement module with I²C communication
SCD40: CO₂ measurement module with I²C communication
SCD41: CO₂ measurement module with I²C communication
SD05CRMA: Compact Solar Charge Controller module
SGP Sensirion Gas-sensors with I²C communication
SGP30: Gas-sensor
SGP40: Gas-sensor
SGP41: Gas-sensor
SHT20: Temperature Humidity Sensor
SHT21: Temperature Humidity Sensor
SHT25: Temperature Humidity Sensor
SHT30: Temperature Humidity Sensor
SHT31: Temperature Humidity Sensor
SHT35: Temperature Humidity Sensor
SHT40: Temperature Humidity Sensor
Sicam Q200: multifunctional device with power quality class A
SPI: Serial Peripheral Interface
SN74HC164D 8-bit Shift Register Module (CJMCU-164)
SH1106 / SSH1106 / SSD1306 OLED Display with I²C communication
SSR G3MB-202P: Multi-channel Solid State Relay Module
ST756x display drivers (ST7565 / ST7567)
ST7789 driver / TFT-LCD screen driver
STMicroelectronics VL53L0X
STC8G IC: TM1650 7-Segment Display with Modbus Communication
STM32F10: ARM STM32 Minimum System Development Module Board
STS-5: Geiger-Müller Tube

T

[TCA9548A \(HW617\); Low-Voltage 8-Channel I²C Switch Module](#)
[TGS-2611: Methane / Natural gas Sensor](#)
[TM1637 7-segment display](#)
[TM1650 7-Segment Display with Modbus Communication](#)
[TOF050C: Time-of-Flight \(ToF\) Laser sensor](#)
[TOF200C: Time-of-Flight \(ToF\) Laser sensor](#)
[TOF400C: Time-of-Flight \(ToF\) Laser sensor](#)
[TP8485E: TM1650 7-Segment Display with Modbus Communication](#)
[TPU \(Thermoplastic Polyurethane \)](#)
[TTL to RS485 Module](#)
[TXS0108E \(HW-0108\) 8-channel, bidirectional 5V-3.3V logic level converter](#)

U

[UART: universal asynchronous receiver-transmitter](#)

V

[Vibration sensors](#)
[VL53Lnn STMicroelectronics time-of-flight \(ToF\) laser-ranging sensors with I²C communication](#)
[VL53L0X](#)
[VL53L1X](#)
[VL6180X STMicroelectronics Time-of-Flight \(ToF\) sensor with I²C communication](#)

W

[Waveshare TOF Laser Range Sensor with UART / I²C communication](#)

X

[X9C series; X9C102, X9C103, X9C104, X9C503 Digitales Potentiometer Board Moduls](#)
[XGZP68xx: Silicon Pressure Sensors/Module](#)
[XGZP6810D: Silicon Pressure Sensors/Module](#)
[XGZP6857D: Silicon Pressure Sensors/Module](#)
[XGZP6859D: Silicon Pressure Sensors/Module](#)
[XGZP6887D: Silicon Pressure Sensors/Module](#)

[XGZP6897D: Silicon Pressure Sensors/Module](#)

[XGZP6899A: Silicon Pressure Sensors/Module](#)

[XTM35SC: current / voltage meter](#)

[XY_MOS: MOS FET Drive Module 400W Support PWM Controller](#)

Y

[YR-3180 Intelligent weighting sensor module](#)

Z

other

[abbreviation index](#), [abbreviation](#), [index](#)

This page has been accessed for: Today: 2, Until now: 377

From:

<https://lamaplc.com/> - **lamaPLC**

Permanent link:

https://lamaplc.com/doku.php?id=abbreviation_index&rev=1783529870

Last update: **2026/07/08 18:57**

